



## SAFETY DATA SHEET

### Ali Red

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, December 2011

#### SECTION 1: Identification: Product identifier and chemical identity

##### Product identifier

**Product name** Ali Red

##### Relevant identified uses of the substance or mixture and uses advised against

**Application** Detergent.

**Uses advised against** For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

##### Details of the supplier of the safety data sheet

##### Supplier

Autosmart Australia  
11 Darrambal Close  
Rathmines  
NSW 2283  
Australia  
[www.autosmartaustralia.com.au](http://www.autosmartaustralia.com.au)  
Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information)  
[autosmart@autosmartaustralia.com.au](mailto:autosmart@autosmartaustralia.com.au)

**Contact Person** Mr. Russell Butler

##### Emergency telephone number

**Emergency telephone** Emergency No: +44 7808 971321 (24hrs) (Autosmart International, UK)  
General Information. Transport Information. Mild medical Information:-  
Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

**National emergency telephone number** Poison Information Hotline: 13 11 26

#### SECTION 2: Hazard(s) identification

##### Classification of the substance or mixture

**Physical hazards** Met. Corr. 1 - H290

**Health hazards** Acute Tox. 4 - H302 Acute Tox. 3 - H311 Skin Corr. 1B - H314 Eye Dam. 1 - H318

**Environmental hazards** Not Classified

##### Label elements

##### Pictogram



**Signal word** Danger

## Ali Red

<b>Hazard statements</b>	H290 May be corrosive to metals. H302 Harmful if swallowed. H311 Toxic in contact with skin. H314 Causes severe skin burns and eye damage.
<b>Precautionary statements</b>	P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P262 Do not get in eyes, on skin, or on clothing. P320 Specific treatment is urgent (see medical advice on this label). P403+P233 Store in a well-ventilated place. Keep container tightly closed. P501 Dispose of contents/ container in accordance with national regulations.
<b>Supplemental label information</b>	For professional users only.
<b>Contains</b>	PHOSPHORIC ACID ...%, 2-BUTOXYETHANOL, HYDROCHLORIC ACID ...%, C9-C11 Alcohol ethoxylate (6), HYDROFLUORIC ACID ...%

### Other hazards

This product does not contain any substances classified as PBT or vPvB.

### SECTION 3: Composition and information on ingredients

#### Mixtures

<b>PHOSPHORIC ACID ...%</b>	<b>15&lt;20%</b>
CAS number: 7664-38-2	
<b>Classification</b> Skin Corr. 1B - H314 Eye Dam. 1 - H318	
<b>2-BUTOXYETHANOL</b>	<b>5&lt;10%</b>
CAS number: 111-76-2 Substance with a Community workplace exposure limit.	
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319	
<b>HYDROCHLORIC ACID ...%</b>	<b>2&lt;3%</b>
CAS number: 7647-01-0	
<b>Classification</b> Met. Corr. 1 - H290 Skin Corr. 1B - H314 Eye Dam. 1 - H318 STOT SE 3 - H335	

## Ali Red

<b>C9-C11 Alcohol ethoxylate (6)</b>	<b>1&lt;2%</b>
CAS number: 68439-46-3	
<b>Classification</b>	
Acute Tox. 4 - H302	
Eye Dam. 1 - H318	
<b>HYDROFLUORIC ACID ...%</b>	<b>0.7&lt;1.0%</b>
CAS number: 7664-39-3	
<b>Classification</b>	
Acute Tox. 2 - H300	
Acute Tox. 1 - H310	
Acute Tox. 2 - H330	
Skin Corr. 1A - H314	
Eye Dam. 1 - H318	
STOT SE 3 - H335	

The full text for all hazard statements is displayed in Section 16.

### SECTION 4: First aid measures

#### Description of first aid measures

<b>General information</b>	CAUTION! First aid personnel must be aware of own risk during rescue! First aid personnel should wear appropriate protective equipment during any rescue. Get medical attention immediately. Effects may be delayed. Keep affected person under observation. Show this Safety Data Sheet to the medical personnel. Chemical burns must be treated by a physician.
<b>Inhalation</b>	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Place unconscious person on their side in the recovery position and ensure breathing can take place. Symptoms of lung oedema (shortness of breath) may develop up to 24 hours after exposure. Get medical attention immediately.
<b>Ingestion</b>	Rinse mouth thoroughly with water. Remove any dentures. Give a few small glasses of water or milk to drink. Give milk instead of water if readily available. Stop if the affected person feels sick as vomiting may be dangerous. Do not induce vomiting unless under the direction of medical personnel. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Never give anything by mouth to an unconscious person. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. Maintain an open airway. Loosen tight clothing such as collar, tie or belt. Get medical attention immediately.
<b>Skin Contact</b>	It is important to remove the substance from the skin immediately. Take off immediately all contaminated clothing. Care should be taken to avoid contact with contaminants when removing contaminated clothing. First aid personnel should wear appropriate protective equipment during any rescue. Rinse immediately with plenty of water. Continue to rinse for at least 10 minutes. Apply Calcium Gluconate Gel over the affected areas. Get medical attention immediately. Effects may be delayed. Chemical burns must be treated by a physician. Show this Safety Data Sheet to the medical personnel. Wash contaminated clothing before reuse.

## Ali Red

<b>Eye contact</b>	Get medical attention immediately. Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 10 minutes. Consult a physician for specific advice. Effects may be delayed. Medical aid should instil several drops of sterile calcium gluconate solution. Show this Safety Data Sheet to the medical personnel.
<b>Protection of first aiders</b>	First aid personnel should wear appropriate protective equipment during any rescue. Wash contaminated clothing thoroughly with water before removing it from the affected person, or wear gloves. It may be dangerous for first aid personnel to carry out mouth-to-mouth resuscitation.
<b><u>Most important symptoms and effects, both acute and delayed</u></b>	
<b>General information</b>	See Section 11 for additional information on health hazards. Effects may be delayed. Keep affected person under observation. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
<b>Inhalation</b>	A single exposure may cause the following adverse effects: Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Delayed, often serious, breathing problems. Severe irritation of nose and throat.
<b>Ingestion</b>	May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting. Ingestion of even small quantities may be fatal.
<b>Skin contact</b>	A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly death. Reddened skin if chemical is not removed by washing. Later, white and wrinkled skin without pain, often with delayed skin burns.
<b>Eye contact</b>	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Vapour or spray may cause eye damage, impaired sight or blindness.

### **Indication of any immediate medical attention and special treatment needed**

<b>Notes for the doctor</b>	Specific notes for fluoride derivatives: Keep affected person under observation. If calcium gluconate gel is available, rub it into affected skin. Do not use this method for treatment of eyes. Massage continuously until pain disappears. If ingested, give milk or calcium gluconate by mouth. Development of symptoms may be delayed for 24 to 48 hours.
-----------------------------	---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

### **SECTION 5: Firefighting measures**

#### **Extinguishing media**

**Suitable extinguishing media** The product is not flammable. Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog. Use fire-extinguishing media suitable for the surrounding fire.

**Unsuitable extinguishing media** Do not use water jet as an extinguisher, as this will spread the fire.

#### **Special hazards arising from the substance or mixture**

**Specific hazards** Containers can burst violently or explode when heated, due to excessive pressure build-up. This product is toxic.

**Hazardous combustion products** Thermal decomposition or combustion products may include the following substances: Very toxic or corrosive gases or vapours.

#### **Advice for firefighters**

## Ali Red

<b>Protective actions during firefighting</b>	Avoid breathing fire gases or vapours. Evacuate area. Cool containers exposed to heat with water spray and remove them from the fire area if it can be done without risk. Cool containers exposed to flames with water until well after the fire is out. If a leak or spill has not ignited, use water spray to disperse vapours and protect men stopping the leak. Control run-off water by containing and keeping it out of sewers and watercourses. If risk of water pollution occurs, notify appropriate authorities.
<b>Special protective equipment for firefighters</b>	Wear chemical protective suit. Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing. Firefighter's clothing conforming to Australia/New Zealand Standards AS/NZS 4967 (for clothing) AS/NZS 1801 (for helmets), AS/NZS 4821 (for protective boots), AS/NZS 1801 (for protective gloves) will provide a basic level of protection for chemical incidents.
<b>Hazchem Code</b>	2X

### SECTION 6: Accidental release measures

#### Personal precautions, protective equipment and emergency procedures

<b>Personal precautions</b>	No action shall be taken without appropriate training or involving any personal risk. Keep unnecessary and unprotected personnel away from the spillage. Wear protective clothing as described in Section 8 of this safety data sheet. Follow precautions for safe handling described in this safety data sheet. Wash thoroughly after dealing with a spillage. Ensure procedures and training for emergency decontamination and disposal are in place. Do not touch or walk into spilled material. Avoid inhalation of dust and vapours. Use suitable respiratory protection if ventilation is inadequate. Avoid contact with skin and eyes. Avoid contact with contaminated tools and objects.
-----------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Environmental precautions

<b>Environmental precautions</b>	Avoid discharge into drains or watercourses or onto the ground. Avoid discharge to the aquatic environment. Large Spillages: Inform the relevant authorities if environmental pollution occurs (sewers, waterways, soil or air).
----------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Methods and material for containment and cleaning up

<b>Methods for cleaning up</b>	Wear protective clothing as described in Section 8 of this safety data sheet. Do not touch or walk into spilled material. Clear up spills immediately and dispose of waste safely. This product is corrosive. Provide adequate ventilation. Approach the spillage from upwind. Small Spillages: Neutralise with alkali. If the product is soluble in water, dilute the spillage with water and mop it up. Alternatively, or if it is not water-soluble, absorb the spillage with an inert, dry material and place it in a suitable waste disposal container. Large Spillages: If leakage cannot be stopped, evacuate area. Flush spilled material into an effluent treatment plant, or proceed as follows. Contain and absorb spillage with sand, earth or other non-combustible material. Place waste in labelled, sealed containers. Clean contaminated objects and areas thoroughly, observing environmental regulations. The contaminated absorbent may pose the same hazard as the spilled material. Flush contaminated area with plenty of water. Wash thoroughly after dealing with a spillage. Neutralise with alkali. Neutralise spilled material with crushed limestone, slaked lime (calcium hydroxide), soda ash (sodium carbonate) or sodium bicarbonate. Caution. May generate heat. Following dilution and neutralisation, discharge to the sewer with plenty of water may be permitted. The requirements of the local water authority must be complied with if contaminated water is flushed directly to the sewer. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.
--------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

#### Reference to other sections

<b>Reference to other sections</b>	For personal protection, see Section 8. See Section 11 for additional information on health hazards. See Section 12 for additional information on ecological hazards. For waste disposal, see Section 13.
------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

## Ali Red

### SECTION 7: Handling and storage, including how the chemical may be safely used

#### Precautions for safe handling

##### **Usage precautions**

Read and follow manufacturer's recommendations. Wear protective clothing as described in Section 8 of this safety data sheet. Keep away from food, drink and animal feeding stuffs. Handle all packages and containers carefully to minimise spills. Keep container tightly sealed when not in use. Avoid the formation of mists. This product is toxic. Immediate first aid is imperative. Do not handle until all safety precautions have been read and understood. Do not handle broken packages without protective equipment. Do not reuse empty containers.

##### **Advice on general occupational hygiene**

Wash promptly if skin becomes contaminated. Take off contaminated clothing and wash before reuse. Wash contaminated clothing before reuse. Do not eat, drink or smoke when using this product. Wash at the end of each work shift and before eating, smoking and using the toilet. Change work clothing daily before leaving workplace.

#### Conditions for safe storage, including any incompatibilities

##### **Storage precautions**

Store away from incompatible materials (see Section 10). Store in accordance with local regulations. Store away from the following materials: Alkalis. Keep only in the original container. Keep container tightly closed, in a cool, well ventilated place. Keep containers upright. Protect containers from damage. Store in corrosive resistant container with a resistant inner liner. Bund storage facilities to prevent soil and water pollution in the event of spillage. The storage area floor should be leak-tight, jointless and not absorbent.

##### **Storage class**

Toxic storage.

##### **Specific end use(s)**

##### **Specific end use(s)**

The identified uses for this product are detailed in Section 1.

### SECTION 8: Exposure controls and personal protection

#### Control parameters

##### Occupational exposure limits

##### **PHOSPHORIC ACID ...%**

Long-term exposure limit (8-hour TWA): 1 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): 3 mg/m<sup>3</sup>

##### **2-BUTOXYETHANOL**

Long-term exposure limit (8-hour TWA): 20 ppm 96.9 mg/m<sup>3</sup>

Short-term exposure limit (15-minute): 50 ppm 242 mg/m<sup>3</sup>

Sk

##### **HYDROCHLORIC ACID ...%**

Ceiling value: 5 ppm 7.5 mg/m<sup>3</sup>

##### **HYDROFLUORIC ACID ...%**

Ceiling value: 3 ppm 2.6 mg/m<sup>3</sup>

as F

Sk = Absorption through the skin may be a significant source of exposure.

##### **Ingredient comments**

WEL = Workplace Exposure Limits

#### C9-C11 Alcohol ethoxylate (6) (CAS: 68439-46-3)

##### **Ingredient comments**

No exposure limits known for ingredient(s).

#### Exposure controls

## Ali Red

### Protective equipment



### Appropriate engineering controls

Provide adequate ventilation. Personal, workplace environment or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment. Use process enclosures, local exhaust ventilation or other engineering controls as the primary means to minimise worker exposure. Personal protective equipment should only be used if worker exposure cannot be controlled adequately by the engineering control measures. Ensure control measures are regularly inspected and maintained. Ensure operatives are trained to minimise exposure.

### Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Personal protective equipment for eye and face protection should comply with Australia/New Zealand Standard AS/NZS 1337. Wear tight-fitting, chemical splash goggles or face shield. If inhalation hazards exist, a full-face respirator may be required instead.

### Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material. To protect hands from chemicals, gloves should comply with Australia/New Zealand Standard AS/NZS 2161. Considering the data specified by the glove manufacturer, check during use that the gloves are retaining their protective properties and change them as soon as any deterioration is detected. Frequent changes are recommended.

### Other skin and body protection

Appropriate footwear and additional protective clothing complying with an approved standard should be worn if a risk assessment indicates skin contamination is possible.

### Hygiene measures

Provide eyewash station and safety shower. Contaminated work clothing should not be allowed out of the workplace. Wash contaminated clothing before reuse. Clean equipment and the work area every day. Good personal hygiene procedures should be implemented. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke. Preventive industrial medical examinations should be carried out. Warn cleaning personnel of any hazardous properties of the product.

### Respiratory protection

Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible. Ensure all respiratory protective equipment is suitable for its intended use and complies with Australia/New Zealand Standard AS/NZS 1716. Check that the respirator fits tightly and the filter is changed regularly. Gas and combination filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Full face mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716. Half mask and quarter mask respirators with replaceable filter cartridges should comply with Australia/New Zealand Standard AS/NZS 1716.

### Environmental exposure controls

Keep container tightly sealed when not in use. Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels. Store in a demarcated bunded area to prevent release to drains and/or watercourses.

## SECTION 9: Physical and chemical properties

### Information on basic physical and chemical properties

#### Appearance

Liquid.

## Ali Red

<b>Colour</b>	Red.
<b>Odour</b>	Acidic.
<b>Odour threshold</b>	Not available. Not available.
<b>pH</b>	pH (concentrated solution): ~ 1
<b>Melting point</b>	~ 0°C
<b>Initial boiling point and range</b>	~ 100°C @ 760 mm Hg
<b>Flash point</b>	Not applicable.
<b>Evaporation rate</b>	Not available.
<b>Flammability Limit - Lower(%)</b>	Not applicable. : : Not applicable.
<b>Vapour pressure</b>	Not applicable.
<b>Vapour density</b>	Not applicable.
<b>Relative density</b>	~ 1.047 @ (20°C)°C
<b>Solubility Value (g/100g H2O 20°C)</b>	Soluble in water. Miscible with water.
<b>Partition coefficient</b>	Not available.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not available.
<b>Viscosity</b>	~ 1 cSt @ 20°C
<b>Oxidising properties</b>	Not applicable.
<b>Comments</b>	Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.
<b>Volatile organic compound</b>	This product contains a maximum VOC content of 76 g/litre.

### SECTION 10: Stability and reactivity

<b>Reactivity</b>	May be corrosive to metals.
<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. Stable under the prescribed storage conditions.
<b>Possibility of hazardous reactions</b>	No potentially hazardous reactions known.
<b>Conditions to avoid</b>	There are no known conditions that are likely to result in a hazardous situation.
<b>Materials to avoid</b>	Alkalis. Amines. Mild steel. Stainless steel. Aluminium. May be corrosive to metals.
<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended. Thermal decomposition or combustion products may include the following substances: Toxic gases or vapours.

### SECTION 11: Toxicological information

#### Information on toxicological effects

#### Acute toxicity - oral



## Ali Red

<b>Notes (oral LD<sub>50</sub>)</b>	Acute Tox. 4 - H302 Harmful if swallowed.
<b>ATE oral (mg/kg)</b>	484.74
<b><u>Acute toxicity - dermal</u></b>	
<b>Notes (dermal LD<sub>50</sub>)</b>	Acute Tox. 3 - H311 Toxic in contact with skin.
<b>ATE dermal (mg/kg)</b>	489.76
<b><u>Acute toxicity - inhalation</u></b>	
<b>Notes (inhalation LC<sub>50</sub>)</b>	Based on available data the classification criteria are not met.
<b>ATE inhalation (vapours mg/l)</b>	38.31
<b>ATE inhalation (dusts/mists mg/l)</b>	5.05
<b><u>Skin corrosion/irritation</u></b>	
<b>Animal data</b>	Corrosive.
<b>Extreme pH</b>	≤ 2 Corrosive.
<b><u>Serious eye damage/irritation</u></b>	
<b>Serious eye damage/irritation</b>	Eye Dam. 1 - H318 Causes serious eye damage.
<b><u>Respiratory sensitisation</u></b>	
<b>Respiratory sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Based on available data the classification criteria are not met.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Based on available data the classification criteria are not met.
<b><u>Carcinogenicity</u></b>	
<b>Carcinogenicity</b>	Based on available data the classification criteria are not met.
<b>IARC carcinogenicity</b>	Contains a substance which may be potentially carcinogenic. IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Based on available data the classification criteria are not met.
<b>Reproductive toxicity - development</b>	Based on available data the classification criteria are not met.
<b><u>Specific target organ toxicity - single exposure</u></b>	
<b>STOT - single exposure</b>	Not classified as a specific target organ toxicant after a single exposure.
<b><u>Specific target organ toxicity - repeated exposure</u></b>	
<b>STOT - repeated exposure</b>	Not classified as a specific target organ toxicant after repeated exposure.
<b><u>Aspiration hazard</u></b>	
<b>Aspiration hazard</b>	Based on available data the classification criteria are not met.
<b><u>General information</u></b>	
<b>Inhalation</b>	The severity of the symptoms described will vary dependent on the concentration and the length of exposure. Corrosive to the respiratory tract. Symptoms following overexposure may include the following: Severe irritation of nose and throat.

## Ali Red

<b>Ingestion</b>	May cause chemical burns in mouth, oesophagus and stomach. Symptoms following overexposure may include the following: Severe stomach pain. Nausea, vomiting.
<b>Skin Contact</b>	A single exposure may cause the following adverse effects: Pain. Unconsciousness, possibly death.
<b>Eye contact</b>	Causes serious eye damage. Symptoms following overexposure may include the following: Pain. Profuse watering of the eyes. Redness. Contact with concentrated chemical may very rapidly cause severe eye damage, possibly loss of sight.
<b>Acute and chronic health hazards</b>	Repeated exposure to high concentrations of materials containing fluorine may increase bone density leading to Osteosclerosis.
<b>Route of entry</b>	Ingestion Inhalation Skin and/or eye contact
<b>Target Organs</b>	No specific target organs known.
<b>Medical Symptoms</b>	Severe skin irritation. Severe lung irritation. Reddened skin if chemical is not removed by washing. Later, white and wrinkled skin without pain, often with delayed skin burns.

### PHOSPHORIC ACID ...%

**Other health effects**                      There is no evidence that the product can cause cancer.

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)**                      3,500.0

**Species**                                              Rat

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)**                      1,689.0

#### Skin sensitisation

**Skin sensitisation**                                      Not sensitising.

### 2-BUTOXYETHANOL

#### Acute toxicity - oral

**Acute toxicity oral (LD<sub>50</sub> mg/kg)**                      1,300.0

**Species**                                              Rat

**ATE oral (mg/kg)**                                      1,300.0

#### Acute toxicity - dermal

**Acute toxicity dermal (LD<sub>50</sub> mg/kg)**                      2,270.0

**Species**                                              Rat

**ATE dermal (mg/kg)**                                      1,100.0

#### Acute toxicity - inhalation

**ATE inhalation (vapours mg/l)**                      11.0

#### Skin sensitisation

## Ali Red

<b>Skin sensitisation</b>	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
<b><u>Germ cell mutagenicity</u></b>	
<b>Genotoxicity - in vitro</b>	Gene mutation:: Negative. This substance has no evidence of mutagenic properties.
<b><u>Carcinogenicity</u></b>	
<b>IARC carcinogenicity</b>	IARC Group 3 Not classifiable as to its carcinogenicity to humans.
<b><u>Reproductive toxicity</u></b>	
<b>Reproductive toxicity - fertility</b>	Fertility: - NOAEL 720 mg/kg, , Mouse
<b>Reproductive toxicity - development</b>	Developmental toxicity: - NOAEL: 100 mg/kg, , Rat

### HYDROCHLORIC ACID ...%

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - oral</u></b>	
<b>Acute toxicity oral (LD<sub>50</sub> mg/kg)</b>	1,449.0
<b>Species</b>	Mouse
<b><u>Acute toxicity - dermal</u></b>	
<b>Acute toxicity dermal (LD<sub>50</sub> mg/kg)</b>	5,010.0
<b>Species</b>	Rabbit
<b><u>Skin sensitisation</u></b>	
<b>Skin sensitisation</b>	Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.
<b><u>Carcinogenicity</u></b>	
<b>IARC carcinogenicity</b>	IARC Group 3 Not classifiable as to its carcinogenicity to humans.

### C9-C11 Alcohol ethoxylate (6)

<b>Other health effects</b>	There is no evidence that the product can cause cancer.
-----------------------------	---------------------------------------------------------

### HYDROFLUORIC ACID ...%

<b>Toxicological effects</b>	This product is toxic.
<b>Other health effects</b>	There is no evidence that the product can cause cancer.
<b><u>Acute toxicity - inhalation</u></b>	
<b>ATE inhalation (vapours mg/l)</b>	0.5
<b>ATE inhalation (dusts/mists mg/l)</b>	0.05

## Ali Red

<b>Acute and chronic health hazards</b>	This chemical can be hazardous when inhaled and/or touched. Toxic in contact with skin.
<b>Route of entry</b>	Inhalation Skin absorption Ingestion.
<b>Target Organs</b>	Bone structure Heart & cardiovascular system Teeth Central nervous system
<b>Medical Symptoms</b>	Reddened skin if chemical is not removed by washing. Later, white and wrinkled skin without pain, often with delayed skin burns.

### SECTION 12: Ecological Information

**Ecotoxicity** The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

#### PHOSPHORIC ACID ...%

**Ecotoxicity** The product may contribute to an excessive enrichment of the aquatic environment with nutrients. The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

#### 2-BUTOXYETHANOL

**Ecotoxicity** Not regarded as dangerous for the environment.

#### HYDROCHLORIC ACID ...%

**Ecotoxicity** The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

#### HYDROFLUORIC ACID ...%

**Ecotoxicity** The product may affect the acidity (pH) of water which may have hazardous effects on aquatic organisms.

**Toxicity** Based on available data the classification criteria are not met.

**Acute toxicity - fish** Not determined.

**Acute toxicity - aquatic invertebrates** Not determined.

**Acute toxicity - aquatic plants** Not determined.

**Acute toxicity - microorganisms** Not determined.

**Acute toxicity - terrestrial** Not determined.

#### PHOSPHORIC ACID ...%

**Acute toxicity - fish** LC50, : 100 mg/l, Freshwater fish

**Acute toxicity - aquatic invertebrates** EC<sub>50</sub>, : 29 mg/l, Daphnia magna  
NOEC, 72 hours: 100 mg/l, Daphnia magna

**Acute toxicity - aquatic plants** IC<sub>50</sub>, 72 hours: 590 mg/l, Freshwater algae

## Ali Red

### 2-BUTOXYETHANOL

<b>Acute toxicity - fish</b>	LC50, 96 hours: > 100 mg/l, Lepomis macrochirus (Bluegill)
<b>Acute toxicity - aquatic invertebrates</b>	EC50, 48 hours: 1550 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC50, >: > 100 mg/l,
<b>Acute toxicity - microorganisms</b>	EC50, >: > 1000 mg/l,
<b>Chronic toxicity - fish early life stage</b>	NOEC, 21 days: > 100 mg/l,
<b>Chronic toxicity - aquatic invertebrates</b>	NOEC, 21 days: 100 mg/l, Daphnia magna

### HYDROCHLORIC ACID ...%

<b>Acute toxicity - fish</b>	LC50, 96 hours: ~ 7.45 mg/l, Onchorhynchus mykiss (Rainbow trout) LC50, 96 hours: ~ 24.6 mg/l, Lepomis macrochirus (Bluegill) LC50, 96 hours: 4-100 mg/l, Algae
<b>Acute toxicity - aquatic invertebrates</b>	EC50, 48 hours: ~ 0.492 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	EC50, 72 hours: ~ 0.78 mg/l, Selenastrum capricornutum

### C9-C11 Alcohol ethoxylate (6)

<b>Acute toxicity - fish</b>	LC50, 96 hours: 10 mg/l, Algae
<b>Acute toxicity - aquatic invertebrates</b>	EC50, 48 hours: 10 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	IC50, 72 hours: 10 mg/l, Fish

### HYDROFLUORIC ACID ...%

<b>Acute toxicity - aquatic invertebrates</b>	EC50, 48 hours: ~ 10.6 mg/l, Daphnia magna
-----------------------------------------------	--------------------------------------------

### Persistence and degradability

### PHOSPHORIC ACID ...%

<b>Persistence and degradability</b>	The product contains mainly inorganic substances which are not biodegradable. The other substances in the product are expected to be readily biodegradable.
--------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------

### 2-BUTOXYETHANOL

<b>Persistence and degradability</b>	The product is biodegradable.
<b>Biodegradation</b>	Water - Degradation (%) 90.4: 28 days

## Ali Red

### HYDROCHLORIC ACID ...%

**Persistence and degradability** The product contains inorganic substances which are not biodegradable.

### C9-C11 Alcohol ethoxylate (6)

**Persistence and degradability** The product is biodegradable. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer.

### HYDROFLUORIC ACID ...%

**Persistence and degradability** The product contains inorganic substances which are not biodegradable.

### Bioaccumulative potential

**Bioaccumulative Potential** No data available on bioaccumulation.

**Partition coefficient** Not available.

### PHOSPHORIC ACID ...%

**Bioaccumulative Potential** The product does not contain any substances expected to be bioaccumulating.

### 2-BUTOXYETHANOL

**Bioaccumulative Potential** The product is not bioaccumulating.

**Partition coefficient** : 0.81

### HYDROCHLORIC ACID ...%

**Bioaccumulative Potential** The product is not bioaccumulating.

### C9-C11 Alcohol ethoxylate (6)

**Bioaccumulative Potential** The product does not contain any substances expected to be bioaccumulating.

### HYDROFLUORIC ACID ...%

**Bioaccumulative Potential** The product does not contain any substances expected to be bioaccumulating.

### Mobility in soil

**Mobility** The product is non-volatile.

### PHOSPHORIC ACID ...%

**Mobility** The product is soluble in water.

### 2-BUTOXYETHANOL

**Mobility** The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.

## Ali Red

**Adsorption/desorption coefficient** Water - Koc: ~ 67 @ °C

**Henry's law constant** 0.000016 atm m<sup>3</sup>/mol @ °C

**Surface tension** 65 mN/m @ °C

### HYDROCHLORIC ACID ...%

**Mobility** The product is soluble in water.

### C9-C11 Alcohol ethoxylate (6)

**Mobility** The product is soluble in water.

### HYDROFLUORIC ACID ...%

**Mobility** The product is soluble in water.

#### Other adverse effects

**Other adverse effects** None known.

### SECTION 13: Disposal considerations

#### Waste treatment methods

##### **General information**

The generation of waste should be minimised or avoided wherever possible. Reuse or recycle products wherever possible. This material and its container must be disposed of in a safe way. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. When handling waste, the safety precautions applying to handling of the product should be considered. Care should be taken when handling emptied containers that have not been thoroughly cleaned or rinsed out. Empty containers or liners may retain some product residues and hence be potentially hazardous.

##### **Disposal methods**

Dispose of surplus products and those that cannot be recycled via a licensed waste disposal contractor. Waste, residues, empty containers, discarded work clothes and contaminated cleaning materials should be collected in designated containers, labelled with their contents. Incineration or landfill should only be considered when recycling is not feasible.

### SECTION 14: Transport information

##### **General**

For limited quantity packaging/limited load information, consult the relevant modal documentation using the data shown in this section.

##### UN number

**UN No. (ADG)** 2922

**UN No. (IMDG)** 2922

**UN No. (ICAO)** 2922

##### UN proper shipping name

**Proper shipping name (ADG)** CORROSIVE LIQUID, TOXIC, N.O.S. (CONTAINS PHOSPHORIC ACID, HYDROFLUORIC ACID)

**Proper shipping name (IMDG)** CORROSIVE LIQUID, TOXIC, N.O.S. (CONTAINS PHOSPHORIC ACID, HYDROFLUORIC ACID)


## Ali Red

**Proper shipping name (ICAO)** CORROSIVE LIQUID, TOXIC, N.O.S. (CONTAINS PHOSPHORIC ACID, HYDROFLUORIC ACID)

### Transport hazard class(es)

<b>ADG class</b>	8
<b>ADG subsidiary risk</b>	6.1
<b>ADG classification code</b>	CT1
<b>ADG label</b>	8
<b>IMDG class</b>	8
<b>IMDG subsidiary risk</b>	6.1
<b>ICAO class/division</b>	8
<b>ICAO subsidiary risk</b>	6.1

### Transport labels



### Packing group

<b>ADG packing group</b>	III
<b>IMDG packing group</b>	III
<b>ICAO packing group</b>	III

### Environmental hazards

#### **Environmentally hazardous substance/marine pollutant**

No.

### Special precautions for user

Always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.

<b>IMDG Code segregation group</b>	1. Acids
------------------------------------	----------

<b>EmS</b>	F-A, S-B
------------	----------

<b>Hazchem Code</b>	2X
---------------------	----

**Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code** Not applicable.

## SECTION 15: Regulatory information

### Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>Guidance</b>	Workplace Exposure Limits EH40.
-----------------	---------------------------------

<b>Schedule (SUSMP)</b>	Schedule 7. Dangerous Poison.
-------------------------	-------------------------------

### Inventories



## Ali Red

### Australia - AICS

All the ingredients are listed or exempt.

#### SECTION 16: Any other relevant information

<b>Classification abbreviations and acronyms</b>	Met. Corr. = Corrosive to metals Acute Tox. = Acute toxicity Eye Dam. = Serious eye damage Skin Irrit. = Skin irritation
<b>General information</b>	Only trained personnel should use this material.
<b>Training advice</b>	Read and follow manufacturer's recommendations. Only trained personnel should use this material.
<b>Revision comments</b>	NOTE: Lines within the margin indicate significant changes from the previous revision.
<b>Issued by</b>	Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain. www.autosmartinternational.com rbutler@autosmart.co.uk Tel +44 (0)1543 481616
<b>Revision date</b>	14/12/2016
<b>Revision</b>	3
<b>Supersedes date</b>	8/10/2013
<b>SDS No.</b>	21355
<b>SDS status</b>	Approved.
<b>Hazard statements in full</b>	H290 May be corrosive to metals. H300 Fatal if swallowed. H302 Harmful if swallowed. H310 Fatal in contact with skin. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H314 Causes severe skin burns and eye damage. H315 Causes skin irritation. H318 Causes serious eye damage. H319 Causes serious eye irritation. H330 Fatal if inhaled. H332 Harmful if inhaled. H335 May cause respiratory irritation.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.