



SAFETY DATA SHEET

Ammonia Free Tint Remover

According to Preparation of Safety Data Sheets for Hazardous Chemicals Code of Practice, December 2011

SECTION 1: Identification: Product identifier and chemical identity

Product identifier

Product name Ammonia Free Tint Remover

Relevant identified uses of the substance or mixture and uses advised against

Application Car maintenance product. - Cleaning agent.

Uses advised against For professional use only. This product is not recommended for any industrial, professional or consumer use other than the Identified uses above.

Details of the supplier of the safety data sheet

Supplier Autosmart Australia
 11 Darrambal Close
 Rathmines
 NSW 2283
 Australia
www.autosmartaustralia.com.au
 Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST) (General Information. Transport Information. Mild Medical Information)
autosmart@autosmartaustralia.com.au

Contact Person Mr. Russell Butler

Emergency telephone number

Emergency telephone Emergency No: +44 7808 971321 (24hrs) (Autosmart International, UK)
 General Information. Transport Information. Mild medical Information:-
 Tel: 02 49 75 14 88 (Mon to Fri, 08:00 - 16:00 AEST)

National emergency telephone number Poison Information Hotline: 13 11 26

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

Physical hazards Not Classified

Health hazards Skin Irrit. 2 - H315 Eye Irrit. 2A - H319

Environmental hazards Not Classified

Label elements

Pictogram



Signal word Warning

Ammonia Free Tint Remover

Hazard statements	H315 Causes skin irritation. H319 Causes serious eye irritation.
Precautionary statements	P264 Wash contaminated skin thoroughly after handling. P280 Wear protective gloves, eye and face protection. P302+P352 IF ON SKIN: Wash with plenty of soap and water. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 If eye irritation persists: Get medical advice/ attention. P501 Dispose of contents/ container in accordance with national regulations.

Other hazards

This product does not contain any substances classified as PBT or vPvB. Warning Flammable liquid and vapor. Harmful by inhalation, in contact with skin and if swallowed.

SECTION 3: Composition and information on ingredients

Mixtures

2-BUTOXYETHANOL 30<60% CAS number: 111-76-2 Substance with a Community workplace exposure limit.
Classification Acute Tox. 4 - H302 Acute Tox. 4 - H312 Acute Tox. 4 - H332 Skin Irrit. 2 - H315 Eye Irrit. 2A - H319
ETHANOL 3<5% CAS number: 64-17-5
Classification Flam. Liq. 2 - H225
METHANOL 0.2<0.5% CAS number: 67-56-1
Classification Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370

The full text for all hazard statements is displayed in Section 16.

SECTION 4: First aid measures

Description of first aid measures

General information	Move affected person to fresh air at once. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Keep affected person away from heat, sparks and flames.
----------------------------	---

Ammonia Free Tint Remover

Inhalation	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Place unconscious person on their side in the recovery position and ensure breathing can take place. When breathing is difficult, properly trained personnel may assist affected person by administering oxygen. Never give anything by mouth to an unconscious person. Do not induce vomiting.
Ingestion	Rinse mouth thoroughly with water. Give plenty of water to drink. Give milk instead of water if readily available. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that vomit does not enter the lungs. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.
Skin Contact	Remove contaminated clothing immediately and wash skin with soap and water. Get medical attention if any discomfort continues.
Eye contact	Rinse immediately with plenty of water. Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention promptly if symptoms occur after washing.

Most important symptoms and effects, both acute and delayed

General information	The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	Vapours may cause headache, fatigue, dizziness and nausea.
Ingestion	Fumes from the stomach contents may be inhaled, resulting in the same symptoms as inhalation.
Skin contact	Skin irritation. Prolonged contact may cause redness, irritation and dry skin.
Eye contact	Irritation of eyes and mucous membranes.

Indication of any immediate medical attention and special treatment needed

Notes for the doctor	No specific recommendations. If in doubt, get medical attention promptly.
-----------------------------	---

SECTION 5: Firefighting measures

Extinguishing media

Suitable extinguishing media Extinguish with alcohol-resistant foam, carbon dioxide, dry powder or water fog.

Special hazards arising from the substance or mixture

Specific hazards	The product is non-combustible. Toxic gases or vapours. No unusual fire or explosion hazards noted. Flammable Liquid. Can release vapors that form explosive mixtures at room temperatures at or above the flashpoint.
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

Advice for firefighters

Protective actions during firefighting	Keep up-wind to avoid fumes. Avoid breathing fire gases or vapours.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures

Personal precautions For personal protection, see Section 8.

Environmental precautions

Ammonia Free Tint Remover

Environmental precautions Do not discharge into drains or watercourses or onto the ground. Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. To prevent release, place container with damaged side up.

Methods and material for containment and cleaning up

Methods for cleaning up Absorb in vermiculite, dry sand or earth and place into containers. Do not use sawdust or other combustible material. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. For waste disposal, see Section 13. Avoid the spillage or runoff entering drains, sewers or watercourses. Avoid the spillage or runoff entering drains, sewers or watercourses. Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.

Reference to other sections

Reference to other sections For personal protection, see Section 8.

SECTION 7: Handling and storage, including how the chemical may be safely used

Precautions for safe handling

Usage precautions Avoid spilling. Avoid contact with skin and eyes. Provide adequate ventilation. Avoid inhalation of vapours. Use approved respirator if air contamination is above an acceptable level.

Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry and cool place. Keep only in the original container. Keep separate from food, feedstuffs, fertilisers and other sensitive material.

Storage class Chemical storage.

Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls and personal protection

Control parameters

Occupational exposure limits

2-BUTOXYETHANOL

Long-term exposure limit (8-hour TWA): 20 ppm 96.9 mg/m³

Short-term exposure limit (15-minute): 50 ppm 242 mg/m³

Sk

ETHANOL

Long-term exposure limit (8-hour TWA): 1000 ppm 1880 mg/m³

METHANOL

Long-term exposure limit (8-hour TWA): NOHSC 200 ppm 262 mg/m³

Short-term exposure limit (15-minute): NOHSC 250 ppm 328 mg/m³

NOHSC = The National Occupational Health and Safety Commission.

Sk = Absorption through the skin may be a significant source of exposure.

Exposure controls

Protective equipment



Ammonia Free Tint Remover

Appropriate engineering controls	Provide adequate general and local exhaust ventilation. Observe any occupational exposure limits for the product or ingredients.
Eye/face protection	Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles.
Hand protection	Wear protective gloves made of the following material: Nitrile rubber. Polyvinyl alcohol (PVA). It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended. The most suitable glove should be chosen in consultation with the glove supplier/manufacturer, who can provide information about the breakthrough time of the glove material.
Other skin and body protection	Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact.
Hygiene measures	Provide eyewash station. Do not smoke in work area. Wash hands at the end of each work shift and before eating, smoking and using the toilet. Wash promptly with soap and water if skin becomes contaminated. Use appropriate skin cream to prevent drying of skin. When using do not eat, drink or smoke.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Organic vapour filter.

SECTION 9: Physical and chemical properties

Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Pink.
Odour	Solvent.
Odour threshold	Not available.
pH	pH (concentrated solution): ~ 7.0 pH (diluted solution): ~ 7.0 @ 1%
Initial boiling point and range	~ 100°C @ 760 mm Hg
Flash point	> 61°C CC (Closed cup).
Evaporation rate	Not determined.
Other flammability	This product does not sustain combustion, according to the sustained combustibility test L.2, Part III, section 32 of the UN Recommendations on the Transport of Dangerous Goods, Manual of Tests and Criteria.
Vapour pressure	Not determined.
Vapour density	Not determined.
Relative density	~ 1.000 @ @ 20°C
Solubility Value (g/100g H₂O 20°C)	Miscible with water.
Partition coefficient	Not available.
Auto-ignition temperature	Not determined.
Decomposition Temperature	Not available.
Viscosity	~ 1 cSt @ 20°C
Oxidising properties	Not applicable.

Ammonia Free Tint Remover

Comments Information declared as "Not available" or "Not applicable" is not considered to be relevant to the implementation of the proper control measures.

Volatile organic compound Not determined. This product contains a maximum VOC content of .

SECTION 10: Stability and reactivity

Reactivity There are no known reactivity hazards associated with this product.

Stability No particular stability concerns.

Possibility of hazardous reactions Not applicable. Will not polymerise.

Conditions to avoid Avoid excessive heat for prolonged periods of time.

Materials to avoid No specific material or group of materials is likely to react with the product to produce a hazardous situation.

Hazardous decomposition products Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

SECTION 11: Toxicological information

Information on toxicological effects

Acute toxicity - oral

ATE oral (mg/kg) 3,602.83

Acute toxicity - dermal

ATE dermal (mg/kg) 3,062.68

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 30.63

ATE inhalation (dusts/mists mg/l) 200.1

Skin sensitisation

Skin sensitisation Not sensitising.

General information Prolonged and repeated contact with solvents over a long period may lead to permanent health problems.

Inhalation Vapour from this product may be hazardous by inhalation.

Ingestion Harmful: may cause lung damage if swallowed. Pneumonia may be the result if vomited material containing solvents reaches the lungs.

Skin Contact Irritating to skin. Product has a defatting effect on skin. Repeated exposure may cause skin dryness or cracking. May cause allergic contact eczema.

Eye contact Irritating to eyes. Vapour or spray in the eyes may cause irritation and smarting.

Acute and chronic health hazards Prolonged and repeated contact with solvents over a long period may lead to permanent health problems. Prolonged or repeated exposure to vapours in high concentrations may cause the following adverse effects: Nausea, vomiting. Headache. No specific acute or chronic health impact noted, but this chemical may still have adverse impact on human health, either in general or on certain individuals with pre-existing or latent health problems.

Ammonia Free Tint Remover

Route of entry	Inhalation Ingestion. Skin absorption
Target Organs	High concentrations may lead to central nervous system effects (drowsiness, dizziness, nausea, headaches, paralysis and loss of consciousness).

Toxicological information on ingredients.

2-BUTOXYETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,300.0

Species Rat

ATE oral (mg/kg) 1,300.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀ mg/kg) 2,270.0

Species Rat

ATE dermal (mg/kg) 1,100.0

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 11.0

Skin sensitisation

Skin sensitisation Guinea pig maximization test (GPMT) - Guinea pig: Not sensitising.

Germ cell mutagenicity

Genotoxicity - in vitro Gene mutation:: Negative. This substance has no evidence of mutagenic properties.

Carcinogenicity

IARC carcinogenicity IARC Group 3 Not classifiable as to its carcinogenicity to humans.

Reproductive toxicity

Reproductive toxicity - fertility Fertility: - NOAEL 720 mg/kg, , Mouse

Reproductive toxicity - development Developmental toxicity: - NOAEL: 100 mg/kg, , Rat

ETHANOL

Carcinogenicity

IARC carcinogenicity IARC Group 1 Carcinogenic to humans.

METHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀ mg/kg) 1,130.0

Species Human

Ammonia Free Tint Remover

ATE oral (mg/kg)	300.0
<u>Acute toxicity - dermal</u>	
Acute toxicity dermal (LD₅₀ mg/kg)	15,800.0
Species	Rabbit
ATE dermal (mg/kg)	300.0
<u>Acute toxicity - inhalation</u>	
Acute toxicity inhalation (LC₅₀ vapours mg/l)	128.2
Species	Rat
ATE inhalation (vapours mg/l)	3.0
ATE inhalation (dusts/mists mg/l)	0.5
<u>Serious eye damage/irritation</u>	
Serious eye damage/irritation	Not irritating.
<u>Respiratory sensitisation</u>	
Respiratory sensitisation	Guinea pig: Not sensitising.
<u>Skin sensitisation</u>	
Skin sensitisation	Not sensitising.
<u>Germ cell mutagenicity</u>	
Genotoxicity - in vitro	: Negative. This substance has no evidence of mutagenic properties.
<u>Carcinogenicity</u>	
Carcinogenicity	There is no evidence that the product can cause cancer.
<u>Reproductive toxicity</u>	
Reproductive toxicity - fertility	- NOAEC 1.33 , , Rat Conclusive data but not sufficient for classification.
<u>Specific target organ toxicity - single exposure</u>	
STOT - single exposure	LOAEL 2000 mg/kg, Oral, Rat
Target organs	Eyes
<u>Specific target organ toxicity - repeated exposure</u>	
STOT - repeated exposure	NOAEC 0.13 mg/l/6hr/day, Inhalation, Rat
Target organs	Heart and cardiovascular system Brain Liver Eyes
.	
Inhalation	Toxic by inhalation. The product contains organic solvents. Overexposure may depress the central nervous system, causing dizziness and intoxication.

Ammonia Free Tint Remover

Ingestion	Toxic: danger of very serious irreversible effects if swallowed. Swallowing concentrated chemical may cause severe internal injury. May cause nausea, headache, dizziness and intoxication. May cause unconsciousness, blindness and possibly death.
Skin Contact	Toxic: danger of serious damage to health by prolonged exposure in contact with skin. Repeated exposure may cause skin dryness or cracking.
Eye contact	Severe irritation, burning and tearing. A single exposure may cause the following adverse effects: Corneal damage.
Route of entry	Inhalation Ingestion. Skin and/or eye contact
Target Organs	Central nervous system Eyes Gastro-intestinal tract Skin

SECTION 12: Ecological Information

Ecotoxicity	The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment. The product is not expected to be hazardous to wastewater treatment processes. The product does not contain organically bound halogen. The product does not contain organic complexing agents with a DOC level of degradation of < 80% after 28 days.
--------------------	--

Ecological information on ingredients.

2-BUTOXYETHANOL

Ecotoxicity	Not regarded as dangerous for the environment.
--------------------	--

METHANOL

Ecotoxicity	Not regarded as dangerous for the environment.
--------------------	--

Acute toxicity - fish	Not determined.
------------------------------	-----------------

Acute toxicity - aquatic invertebrates	Not determined.
---	-----------------

Acute toxicity - aquatic plants	Not determined.
--	-----------------

Acute toxicity - microorganisms	Not determined.
--	-----------------

Acute toxicity - terrestrial	Not determined.
-------------------------------------	-----------------

Ecological information on ingredients.

2-BUTOXYETHANOL

Acute toxicity - fish	LC50, 96 hours: > 100 mg/l, Lepomis macrochirus (Bluegill)
------------------------------	--

Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 1550 mg/l, Daphnia magna
---	---

Acute toxicity - aquatic plants	EC ₅₀ , >: > 100 mg/l,
--	-----------------------------------

Acute toxicity - microorganisms	EC ₅₀ , >: > 1000 mg/l,
--	------------------------------------

Ammonia Free Tint Remover

Chronic toxicity - fish early life stage NOEC, 21 days: > 100 mg/l,

Chronic toxicity - aquatic invertebrates NOEC, 21 days: 100 mg/l, Daphnia magna

METHANOL

Acute toxicity - fish LC50, 48 hours: > 10000 mg/l, Leuciscus idus (Golden orfe)

Acute toxicity - aquatic invertebrates EC₅₀, 48 hours: > 1000 mg/l, Daphnia magna

Acute toxicity - aquatic plants EC₅₀, 96 hours: 22000 mg/l, Selenastrum capricornutum

Persistence and degradability

Persistence and degradability Volatile substances are degraded in the atmosphere within a few days.

Ecological information on ingredients.

2-BUTOXYETHANOL

Persistence and degradability The product is biodegradable.

Biodegradation Water - Degradation (%) 90.4: 28 days

METHANOL

Persistence and degradability The product is readily biodegradable.

Biodegradation Degradation (%)
- 82.7: 5 days

Bioaccumulative potential

Bioaccumulative Potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient Not available.

Ecological information on ingredients.

2-BUTOXYETHANOL

Bioaccumulative Potential The product is not bioaccumulating.

Partition coefficient : 0.81

METHANOL

Bioaccumulative Potential The product does not contain any substances expected to be bioaccumulating.

Partition coefficient : ~ 0.77

Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces. The product contains substances which are water-soluble and may spread in water systems.

Ammonia Free Tint Remover

Ecological information on ingredients.

2-BUTOXYETHANOL

Mobility	The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.
Adsorption/desorption coefficient	Water - Koc: ~ 67 @ °C
Henry's law constant	0.000016 atm m ³ /mol @ °C
Surface tension	65 mN/m @ °C

METHANOL

Mobility	The product is soluble in water. The product contains volatile organic compounds (VOCs) which will evaporate easily from all surfaces.
Adsorption/desorption coefficient	Not available.

Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

2-BUTOXYETHANOL

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

METHANOL

Results of PBT and vPvB assessment This substance is not classified as PBT or vPvB according to current EU criteria.

Other adverse effects

Other adverse effects Not applicable.

Ecological information on ingredients.

METHANOL

Other adverse effects The product contains volatile organic compounds (VOCs) which have a photochemical ozone creation potential.

SECTION 13: Disposal considerations

Waste treatment methods

General information The packaging must be empty (drop-free when inverted). Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Avoid the spillage or runoff entering drains, sewers or watercourses. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. Packaging: Reuse or recycle products wherever possible.

SECTION 14: Transport information

Ammonia Free Tint Remover

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

UN number

Not applicable.

UN proper shipping name

Not applicable.

Transport hazard class(es)

No transport warning sign required.

Packing group

Not applicable.

Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

Special precautions for user

Not applicable.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

Schedule (SUSMP) No Poison Schedule number allocated

Inventories

Australia - AICS

All the ingredients are listed or exempt.

SECTION 16: Any other relevant information

General information Only trained personnel should use this material.

Revision comments NOTE: Lines within the margin indicate significant changes from the previous revision.

Issued by Prepared by Autosmart International Ltd, Lynn Lane, Shenstone, Lichfield, Staffordshire, WS14 0DH, Great Britain.
www.autosmartinternational.com
rbutler@autosmart.co.uk
Tel +44 (0)1543 481616

Revision date 29/11/2016

Revision 2

Supersedes date 23/06/2014

SDS status Approved.

Ammonia Free Tint Remover

Hazard statements in full	H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H312 Harmful in contact with skin. H315 Causes skin irritation. H319 Causes serious eye irritation. H331 Toxic if inhaled. H332 Harmful if inhaled. H370 Causes damage to organs .
----------------------------------	---

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.